

8113 West Sherman Street Tel: 602.233.9166 Tolleson, AZ 85353-4025 Fax: 623.936.9164

December 30, 2003

Mr. Gerald Thompson Environmental Assistant Alaskan Copper Works P. O. Box 3546 Seattle, WA 98124-3546

Dear Mr. Thompson:

Enclosed is the appropriate copy of your company's Hazardous Waste Manifest resulting from the transfer of recyclable materials to World Resources Company.

Please note that in accordance with 40 CFR §262.40, this copy of the manifest must be retained as a record for at least three (3) years from the date the waste was accepted by the initial transporter.

If you have any questions, please feel free to give us a call.

Sincerely, World Resources Company

Manifest Coordinator Enclosures WORLD RESOURCES
10:40AM 12/23/2003
GROSS 1407 1.b
TARE 77 1b
NET 1330 1.b
WORLD RESOURCES
10:41AM 12/23/2003
GROSS 1395 16
TARE 77 1.b
NET 1318 1.b
ACCUM 2648 1.b
12/23/2003 10:41AM

Please print or type.	(Form designed for us	e on elite (12-pitch) typewriter.	.)

		UNIFORM HAZARDOUS WASTE MANIFEST			0 5 4 4	Document No.	2. Page 1 of 1			
	3.	Generator's Name and Mailing Address Alaskan Copper Works	LIA OCTOA				A. State Ma	nifest Docu	ıment Nı	ımber
		2 202					B. State Ge	nerator's ID)	
	<u>4.</u> 5.	Generators Friorie ()		6.	US EPA ID N	lumber	C. State Tra	insporter's	ID	enter allen er er er er
	1	RANSPORTATION - REMEDATION	INC	CAD						321-1050
1	7.	Transporter 2 Company Name		8.	US EPA ID N	lumber				
	-	Designated Eacility Name and Site Address	:e	L	LIS EPAID N	lumber				
	J.	World Resources Company	"	, 0	OO LI AID II	idilibei				
		8113 West Sherman Street	1025	AZD	9807	35500	H. Facility's	Phone 8	00-97	2-1955
G	11.	US DOT Description (Including Proper Shi	ipping Name, Ha	zard Class	and ID Numbe	er) l	To	otal I	Unit	I. Waste No.
N E R	a.			n.o.s	•.•. viet viet •.•. viet viet viet viet viet viet viet viet	Ø Ø 2	C F 028	35ø	Р	F006
A T O R	b.					X X) V	
	c.									
	d.									
	2	4 Hour Emergency Response	: 1-800-42	4-9300	CHEMTREC	C (Use CH	EMTREC co	ompany	code	"WORR")
		P.O. # 924/7 GENERATOR'S CERTIFICATION: I hereby declare proper shipping name and are classified, packed, raccording to applicable international and national g	e that the contents of marked, and labeled government regulation	of this consign I, and are in a	nment are fully ar all respects in pro	nd accurately descrit oper condition for tra	ped above by insport by highwa	•		
		economically practicable and that I have select future threat to human health and the environm	ed the practicable ent; OR , if I am a	method of t small quanti	reatment, storage	e, or disposal curre	ently available to	me which	minimizes	the present and
	/	Printed/Typed Name			Signatur	1			Moi	nth Day Year
<u>▼</u>	17		eipt of Materials		Dul	ce	^		1/	41 402
Ŕ	<u> </u>	Printed/Typed Name	WASTE MANIFEST WAD 9 8 0 7 3 8 5 4 6 0330 0 5 01 is not required by Federal rator's Name and Mailing Address Bkan Copper Works Box 3546, Seattle, WA 98124 rator's Phone (206) 382-8379 porter 1 Company Name	nth Day Year						
SP				نا	1) ich	while	<u> </u>		<u> </u>	by Federal law. Number 1. 321-1250 1. 121-1250 2. Waste No. F006 2. WORR") The determined to be esting present and eneration and select and eneration and select and the select and
TRANSPORTER	18.	Transporter 2 Acknowledgement of Rece Printed/Typed Name	eipt of Materials		Signature				Moi	nth Day Year
'n	19.	Discrepancy Indication Space			North C	Maria Maria	/			
FACILITY										
ij	20.	Facility Owner or Operator: Certification	of receipt of haz	ardous ma	aterials covere	ø by this manife	st except as n	oted in Iten	n 19.	
Ϋ́		Printed/Typed Name	bede	9	Signature	2 A-			Moi	nth Day Year
0	tyle C	E 17	10 14 10 11		- 3				. 6	

Style CF 17 LABEL ASTER ® (800) 621-5808 www.labelmaster.com

EPA Form 8790-22 (Rev. 9-88) Previous editions are obsolete.

ORIGINAL-RETURN TO GENERATOR



print or type. (Form designed for use								ved. OM		
UNIFORM HAZARDO WASTE MANIFES		1. Generator		3 8 5 4 6 Doc	nifest :ument No. ろへっこう		- Ja			the shaded a by Federal la
Generator's Name and Mailing Alaskan Copper Worl P.O. Box 3546, See Generator's Phone (ks attle, 382-	WA 98124 8379				Margarit I	ate Manife ate Gener		100	Number
Transporter 1 Company Name	P. Jin		6.	US EPA ID Numb	per		ate Trans			
Transporter 2 Company Name	wng7.	INC	8. 8.	US EPA ID Numb	7 9 9 6 per	E. St	ansporter ate Transp ansporter	porter's	ID	0.3 <u>21-</u> 65
Designated Facility Name and S World Resources Con		SS	10.	US EPA ID Numb	per	Locate Property of N	ansponer ate Facilit	ar marie agains	Θ.	
8113 West Sherman S Tolleson, Arizona 8		1025	IA Z I	98073	5 5 0 0	H. F	acility's Ph	one £	300-9	972-1955
. US DOT Description (Including			Hazard Clas	s and ID Number)	12. Conta	iners Type	13. Tota Quant	l itv \	14. Unit Wt/Vol	I. Waste No
RQ, Hezardo (F006), 9,			i, n.o.s	3.,	Sign. 2	C F	A2R.		р	FOOB
						,				
				-						
gree of compression progress on the progress of the compression of the	· · · · · · · · · · · · · · · · · · ·					•		Y ,		
Additional Descriptions for Mate	rials Liste	d:Above		or treatment store and and reviewing t	astanin il	K. Ha	ndling Goo	des for	Waste	s Listed Abov
Special Handling Instructions a	and Additions	alregimeso ba 4 stone B vor sido epitiS eri conal Informatio 1 -800-4	of inflot and inflored in the second in the	I private nas par de dend as recurs de calpanisty de de calpanisty de de CHEMTREC	Teleproper (an anti-proper (an	Carrie	por some entropic or your common to		121220 15.11.20 15.11.29 15.114	
Special Handling Instructions at Hour Emergency Reference Referenc	and Addition # 2012 Addition #	onal Informatic: 1-800-46-648-642 e that the content marked, and labe government regular of the practicab ent; OR, if I am	on 124-9300 consistence on 124-9300 s of this considered, and are in ations. m in place to lie method of a small quan	CHEMTREC Wear glove grammat are fully and ac all respects in proper of reduce the volume ar treatment, storage, or	(Use CH a & gos curately descripted for train and toxicity of disposal curr	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod	e "WORR" ve determined to the present
Special Handling Instructions at Hour Emergency Ref Bergency call page GENERATOR'S CERTIFICATION: I he proper shipping name and are classification to applicable international at I I am a large quantity generator, I economically practicable and that I future threat to human health and the the best waste management method to Printed/Typed Name	and Addition # 2012 Addition #	onal Informatic: 1-800-46-648-642 e that the content marked, and labe government regular of the practicab ent; OR, if I am	on 124-9300 consistence on 124-9300 s of this considered, and are in ations. m in place to lie method of a small quan	CHEMTREC Wear glove grammat are fully and ac all respects in proper of reduce the volume ar treatment, storage, or	(Use CH a & gos curately descripted for train and toxicity of disposal curr	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha	e "WORR" ve determined to the present
Special Handling Instructions at Hour Emergency Ref Bmergency call page GENERATOR'S CERTIFICATION: I he proper shipping name and are classificated according to applicable international at if I am a large quantity generator, I economically practicable and that I future threat to human health and the best waste management method to Printed/Typed Name Transporter 1 Acknowledgement	and Addition and Packed, indicational certify that have select the environment at is availa	onal Information: 1 -800-4 6 -648-642 e that the content marked, and labe government regularly have a prograed the practicablent; OR, if I amble to me and that	on 124-9300 s of this consider, and are in ations. m in place to lie method of a small quant I can afford.	CHEMTREC Wear glove all respects in proper of the treatment, storage, or titty generator, I have a signature	(Use CH a & gos curately descripted for train and toxicity of disposal curr	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha minimiswaste g	ve determined to the tree the present eneration and second with the tree that the tree tree tree tree tree tree tree
Special Handling Instructions at Hour Emergency Ref GENERATOR'S CERTIFICATION: I he proper shipping name and are classificaccording to applicable international at If I am a large quantity generator, I economically practicable and that I future threat to human health and the best waste management method to Printed/Typed Name	and Addition and Packed, indicational certify that have select the environment at is availa	onal Information: 1 -800-4 6 -648-642 e that the content marked, and labe government regularly have a prograed the practicablent; OR, if I amble to me and that	on 124-9300 s of this consider, and are in ations. m in place to lie method of a small quant I can afford.	CHEMTREC Wear glove gramment are fully and ac all respects in proper of treatment, storage, or titly generator, I have to	(Use CH a & gos curately description for tra disposal cur made a good	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha minimiswaste g	ve determined to the tree the present eneration and s
Special Handling Instructions at Hour Emergency Resemble of the Emergency Resemble of the Emergency Call pages of	and Addition # 2012 are by declared, packed, ind national of certify that have select the environmental is availated.	onal Information 1 - 800 - 4 6 - 648 - 642 et that the content marked, and labe government regular I have a prograed the practicablent; OR, if I amble to me and that eipt of Material	s of this considered, and are in attions. m in place to the method of a small quantit I can afford.	CHEMTREC Wear glove all respects in proper of the treatment, storage, or titty generator, I have a signature	(Use CH a & gos curately descripted for train and toxicity of disposal curr	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha minimiswaste g	ve determined to the tree the present eneration and second with the tree that the tree tree tree tree tree tree tree
Special Handling Instructions at Hour Emergency Resemble of the Emergency Resemble of the Emergency Call Page) GENERATOR'S CERTIFICATION: I he proper shipping name and are classificational at a large quantity generator, i economically practicable and that I future threat to human health and the the best waste management method to Printed/Typed Name Transporter 1 Acknowledgement Printed/Typed Name	and Addition # 2012 are by declared, packed, ind national of certify that have select the environmental is availated.	onal Information 1 - 800 - 4 6 - 648 - 642 et that the content marked, and labe government regular I have a prograed the practicablent; OR, if I amble to me and that eipt of Material	s of this considered, and are in attions. m in place to the method of a small quantit I can afford.	CHEMTREC Wear glove all respects in proper of the treatment, storage, or titty generator, I have a signature	(Use CH a & gos curately description for tra disposal cur made a good	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha	ve determined to the tree the present eneration and second with the tree that the tree tree tree tree tree tree tree
Special Handling Instructions at Hour Emergency Resemble of the Emergency Resemble of the Emergency Resemble of the Emergency Resemble of the Emergency Call pages of the	and Addition # 2012 are by declared, packed, ind national of certify that have select the environmental is availated.	onal Information 1 - 800 - 4 6 - 648 - 642 et that the content marked, and labe government regular I have a prograed the practicablent; OR, if I amble to me and that eipt of Material	s of this considered, and are in attions. m in place to the method of a small quantit I can afford.	CHEMTREC Wear glove gnment are fully and ac all respects in proper of the treatment, storage, or fifty generator, I have to signature Signature	(Use CH a & gos curately description for tra disposal cur made a good	EATR Bales ibed about ansport to waste geently av	BC come	Pany the degree which	cod ree I ha	ve determined to the test the present eneration and sent to the test to the test that the test the test that the test that the test that the test that the test t
Special Handling Instructions at Hour Emergency Referency call pages of the Property of the Pr	and Addition # 200 declared, packed, indicated and national gent of Receiver and the environment of Receiver to free ent of Re	affection to be a strong of the sound information on a linformation on a linformation of the sound of the sou	s of this considered and are in attons. m in place to lie method of a small quantit I can afford.	CHEMTREC Wear glove Indicate the solution of	(Use CH) (Use C	Efficación de la constant de la cons	BC come	pany the degree which lize my v	cod ree I ha minimis waste g	ve determined to the test the present eneration and sent to the test to the test that the test the test that the test that the test that the test that the test t

GENERATOR COPY



WORLD RESOURCES COMPANY

GERALI Thompson

In partnership with the environment

LAND DISPOSAL RESTRICTION NOTICE





ISO 9001 & ISO 14001 Certified Recycling Facility



A copy of this Notice must be retained by the Generator for at least three (3) years, pursuant to U.S. EPA Regulation 40 CFR §268.7(a)(8). Moreover, the Generator should check the hazardous-waste regulations of his/her own State, inasmuch as, if there is a State analogue to the federal regulation, it may require a longer retention time, such as five (5) years. It should also be noted that the federal regulation--and, typically, State analogues as well-requires the retention period to be extended further in specified cases.

To: rom:	WORLD RESOUR COMPANY NAME: Alaskan Copper W		8113 West Sherman Street, Tolleson AZ 85353-4025 COMPANY ADDRESS: P.O. Box 3546, Seattle, WA 98124					
	MIFEST OMBER:	3005	DA1	ATE OF 12-17-03				
The	This shipment applicable land d	isposal restriction i	ect to the land disp information, provic as shown in this ta	sposal restrictions of 40 CFR Part 268. ided in accordance with 40 CFR §268.7(a)(2), table ♥				
		EPA Material Number F006	Treatability Group non-wastewater	CFR Reference for Treatment Standards 40 CFR §268.40				
SIG	NATURE:	122		TITLE: Enviro, Asst.				

Instructions for Completion of this Land Disposal Restriction Notice [LDRN]

This LDRN has been prepared based on a listed material--F006--as the primary designation of the material. This designation is based on information furnished by the Generator of the material. While it is believed to be accurate, it is the Generator's responsibility to determine whether his/her material is restricted from land disposal, and to correctly complete the LDR Notice [as stated in 40 CFR §268.7(a)(2)].

An F006 designation on the LDRN includes the following constituents: cadmium [D006], chromium [D007], lead [D008], silver [D011], cyanide, and nickel. However, the designation does not include assenic [D004], barium [D005], mercury [D009], or selenium [D010]. If your F006 material contains any of those four constituents not included in the F006 designation, then use the following instructions.

In determining the need for any additional entries on the LDRN for the F006 material, the levels of arsenic, barium, mercury and selenium must be examined to determine if the levels equal or exceed the threshold concentrations of constituents for the Toxicity Characteristic limit as identified in 40 CFR §261.24 (Table 1), as shown in the left-hand column of the table below [as stated in 40 CFR §268.9].

If (after testing or based upon the generator's knowledge of the material) each metal level does not equal the Toxicity Characteristic level shown below, then no additional entry is required on the LDR Notice. If the level is known to be or determined to be equal to or above the limit shown below for any of these metals, then the appropriate information corresponding to that individual metal (in the right-hand column below) must be added to the LDR Notice.

	EINFORMATION CHARACTERISTIC	DR NOTICE		
Metal	Concentration Level	EPA Material Number	Treatability Group	CFR Reference for Treatment Standards
ARSENIC	5.0 mg/l	D004	non-wastewater	40 CFR §268.40
BARIUM	100 mg/l	D005	non-wastewater	40 CFR §268.40
MERCURY	.02 mg/l	D009	non-wastewater	40 CFR §268.40
SELENIUM	1.0 mg/l	D010	non-wastewater	40 CFR §268.40

AZF018\\F1@1994 by WORLD RESOURCES COMPANY, All rignts reserved. Revised 11/08/98, 03/16/00, 08/01/01. This Revision: 11/09/01.

FOOG GENERATORS

MATERIAL IDENTIFICATION

DOT BASIC SHIPPING DESCRIPTION AND TECHNICAL NAME. Hazardous waste, solid, n.o.s., (F006), 9, NA3077, III

NORTH AMERICAN **EMERGENCY** RESPONSE

TAKEN FROM GUIDE 171 OF THE NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK

(Underlined text applies directly to the material listed above)

POTENTIAL HAZARDS

FIRE OR EXPLOSION

- Some may burn, but none ignite readily.
- 2. Some may polymerize (P) explosively when heated or involved in a fire.
- Containers may explode when heated.
- Some may be transported hot.

- 1.Inhalation of material may be harmful.
- Contact may cause burns to skin and eyes
- 3. Innalation of Aspestos dust may have a damaging effect on the lungs.
- 4 Fire may produce irritating, corrosive and/or toxic gases.
- 5. Runoff from fire control may cause pollution.

PUBLIC SAFETY

- CALL CHEMTREC at 1-800-424-9300 FOR EMERGENCY ASSISTANCE (Use CHEMTREC Company Code "WORR")
- 2. Isolate spill or leak area immediately for at least 10 to 25 meters (30-80 feet) in all directions
- 3 Keep unauthorized personnel away.
- 4.Stay upwind.

PROTECTIVE CLOTHING

- 1. Wear positive pressure self-contained breathing apparatus (SCBA).
- Structural firefighters' protective clothing will only provide limited protection.

EVACUATION

Fire

1.If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

FIRE

EMERGENCY RESPONSE

Small Fires

1.Dry chemical, CO2 water spray or regular foam

- Water spray, fog or regular foam.
- Move containers from fire area if you can go it without risk.
- Do not scatter spilled material with high pressure water streams.
- Dike fire-control water for later disposal.

Fire Involving Tanks:

- 1.Cool containers with flooding quantities of water until well after fire is out.
- Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- 3.ALWAYS stay away from the ends of tanks

SPILL OR LEAK

- 1.Do not touch or walk through spilled material.
- 2.Stop leak if you can do it without risk. 3.Prevent dust cloud.
- 4. Avoid inhalation of aspestos dust.
- Small Dry Spills
- With clean shove place material into clean, dry container and cover loosely; move containers from spill area Small Spills
- 1. Take up with sand or other noncompustible absorbent material and place into containers for later disposal, Large Spills
- 1. Dike far ahead of liquid spill for later disposal
- Cover powder spill with plastic speet or tarp to minimize spreading
- 3. Prevent entry into waterways, sewers, basements or confined areas.

FIRST AID

- 1. Move victim to fresh air.
- Call emergency medical care
- 3.Apply artificial respiration if victim is not breathing.
- 4.Administer oxygen if breathing is difficult
- 5. Remove and isolate contaminated clothing and snoes.
- 6. In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes
- 7. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Copyright 1994 World Resources Company

Recycled Paper 02/09/2000

The second state of the second second

Material Safety Data Sheet

F006 Recyclable Material (Filter Cake)

Recycler's Facility Name and Site Address:

World Resources Company

8113 West Sherman Street Tolleson, Arizona 85353-4025 Tel.: 602/233-9166 Fax: 623/936-9164 January 2002 DLS

Call CHEMTREC only in the event of emergencies during shipping that involve a spill, leak, fire, or accident (all calls are recorded).

For emergencies during shipping in the US or Canada, day or night, call: CHEMTREC 800/424-9300.

(Use CHEMTREC Company Code "WORR".) For calls from other countries, call COLLECT: 703/527-3887

Section 1

EPA Waste Classification: F006

Generic Name: Electroplating/Metal-Finishing Waste-

water Treatment Sludge

Chemical Family: Metallic (Hydroxide) Participates Synonym: Nonferrous Metal Hydroxide Filter Cake

Material Identification DOT Shipping Name: RQ, Hazardous waste solid, n.o.s., (F006)

DOT Hazard Class: 9; Packing Group: III.

DOT Identification Number: NA 3077

Guide 171 of The North American Emergency Response Guidebook applies.

Section 2				Hazare	lous Ingredients
Ingredient:	CAS Number:	Content%:	ACGIH-TLV:		oxicology (rat, oral);
Copper Hydroxide	20427-59-2	0-30	1.0 mg(Cu)/m ³ (c	dust) LD-50	
Nickel Hydroxide	12054-48-7	0-15	1.0 mg(Ni)/m ³ (d	dust) LD-50	1,500 mg/kg
Calcium Hydroxide	1305-62-0	0-15	5.0 mg(Ca)/m ³ (d	fust) LD-50	7,340 mg/kg
Diatomite	61790-53-2	0-10	10.0 mg/m^3 (d	iust) LD-50	not determined
Aluminum Hydroxide	21645-51-2	0-10	2.0 mg(Al)/m ³ (d	lust) LD-50	not determined

Section 3

Description: solid, clay-like, gray/green to beown, water content 30-80% Specific Gravity: 2.5 to 3.5 Solubility: insoluble in water.

Incompatible Reactivity: none known.

Vapor Pressure: insignificant. Stability: avoid contact with acids. Polymerization: will not occur. Density: 50-90 lbs./cu ft.

Boiling Point: above 2600°C

Fire and Explosion Data

Melting Point: above 1800°C pH: 7.0 to 10.0 Odor: nil.

Flashpoint: nonflammable. Special Firefighting Procedures: none.

Product Decomposition (due to fire or explosion); none.

Oxidation: non-oxidizing.

Explosion Potential: non-explosive.

NFPA Fire Diamond

0

Section 5

Listed Carcinogenic Components: nickel

Toxicology: see Section 2.

Route of Entry: inhalation and ingestion.

Section 6

Health Effects and First Aid Inhalation: Dust may irritate mucous membranes and upper respiratory tract. Remove to fresh air and treat symptoms.

Ingestion: Rare. Induce vomiting and call a physician—but never induce vomiting or give a liquid to an unconscious person.

Eves: Dust may irritate eyes. Wash with copious amounts of water for 15 minutes. If effects persist, call a physician.

Skin: Dust may irritate skin, causing forms of eczema. Wash with soap and water.

Long-Term: Long-term chronic over-exposure may affect the following target organs or body systems: blood; digestive: respiratory; lungs; liver;

kidnevs: and skin.

Comments: Special attention should be given to employees with anemia, restricted respiratory abilities, lung cancer, permanent kidney damage,

mental-sensitive skin, or skin lesions.

Section 7 Handling:

Good personal and industrial hygiene should always be practiced. It is recommended that personal protective equipment (PPE) be used by personnel who will come in contact with the material. The PPE should include eye protection, respirator and gloves.

Storage: Keep covered and avoid conditions where wind could cause dispersal. Do not eat, drink or smoke where material is handled, to avoid

inhalation or ingestion. Store in a dry area under cover to protect from rain or snow.

Use cleaning procedures that avoid creating excessive dust. Vacuum when possible. Package material and ship to World Resources Company at the address shown above.

Section 8

Spills:

Respiratory Protection: NIOSH-MSHA approved respirators as required.

Other Protective Equipment: coveralls are recommended but not required.

Control Measures

Eye Protection: safety glasses are recommended. Hand Protection: gloves are recommended.

Section 9

Generator's Verification

This MSDS describes the recyclable material listed in the attached Manifest Number:

★Signature **★**

↑Date **1**

Alaskan Copper Works

P.O. Box 3546, Seattle, WA 98124

†Company Name and Address**†**

206-382-8379 **‡**Telephone



GENERAL INTERNAL PURCHASE REQUISITION

ITEM NO.	ACCT.	QUAN- TITY	UNIT	DESCRIPTION & PART NUMBERS	UNIT PRICE	TOTAL LINE ITEM PRICE
1	6-686	1	Lot	Recycle & Transport	650 pon	
	0000		Sandar S	2 Boxes of Foo6 Studge	76	
			1 .	40 Az		
		N. S.	,	D	· · .	
N. A.	1.		<u> </u>		.:	
11.5	N. J. N.		2			
		8, 4, 5, 1, 1			4	
	1	, 18 (18) 18(1) 18 (18)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			
		130,111			10.3	
	1111		· ·		\$4.	
	47.14	, Assi			1 1 1	
	F N E N E N	Ę.Ą.	1.		- 21	
8 A.	in the second				4.273	
1 1	Š.A. s.					
	1		1,			
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	. (3	i i			
		Ž. ž. š.			1.	
			λ.			
7 - 3 3 - 4			\$.;·		N A	
REQUE	STED BY			DATE APPROVED BY	DATE	
			014/000	TO BE FILLED IN BY PURCHASING DEPT	- 1/2	17/43
	SE OR USE	URN OF YEL	LOW COP	P.O. NUMBER 111 924	42	
	RY NEEDED	ВУ		VENDOR LABORILA RESO	Whose	Co.
	O ADDRESS			CONTACT TELEPH NO.	HONE	
SUGGE /ENDO	STED	xld (K) ESWRC	DELIVERY	A . Y/7	



GENERAL INTERNAL PURCHASE REQUISITION

ITEM	AGCT. NO.	QUAN- TITY	UNIT	UESCRIPTI	ON & PART NUMBERS		UNIT PRICE		TOTAL LI	NE
NO.		1114	3.01		The state of the s			= _Q	HEMPHI	UE T
1	6-686	1	LST	(Kecycle + -	Tarpsport L Fools Su		620	7-2/A 1(27-2)		
				2 Boxes C	of Fool Sh	dse				
				10 Az.						
					刮····					l
		The second of		A STATE OF THE STA						Ť
	Sa disambangan and A. Calain									
										ł
							12			1
					200 - 100 -				section to the section of the sectio	
										1
		A 1941 A		The state of the s						
										T
									200	1
										1
OU	STED BY			DATE	APPROVED BY			DATE		
<i>ير</i> رامحو (TERE FOR RET	TIRN OF VE	I OW COL	72-77-07	TO BE FILLED IN BY PURCH	IASING DEPT		() () () () () () () () () ()	763	-
	SE OR USE	Sint Of the			P.O. NUMBER //	924	12			
ELIVI	RY NEEDED	ВУ			VENDOR /A/DAVA	Resen	<u> </u>		23.	
						TELEPH				
JGGI	O ADDRESS		7	0	DELIVERY	NO.		agrana.		
NDC)R (/// Rev. 7/96	<u> </u>	<u>(Chaire</u>	<u> 35 G</u>	PROMISED	SHIP VI	<u> </u>	7		